

NYLA Rep Plot 1... INSTRUMENT SCHEDULE

2017-18 Rep-8-31.lw6

Lighting Supervisor: Lauren Libretti
Production Coordinator: Eliza Brennessel
Technical Director: Thomas Bowersox

8/31/17

:Show name
:Date
New York Live Arts Theater

TABLE OF CONTENTS

PIPE 1	1	SL Boom 5	16
PIPE 3	1	SR Boom A	16
PIPE 7	1	SR Boom 1	17
PIPE 8	2	SR Boom 2	17
PIPE 9	2	SR Boom 3	18
PIPE 11	3	SR Boom 4	18
PIPE 13	4	SR Boom 5	19
PIPE 14	4	G. Row CYC	20
PIPE 15	5	G. Row Cyc LED	21
PIPE 16	5	Pipe E	21
PIPE 17	5	Pipe G	22
PIPE 18	6	Pipe J	22
PIPE 19	7	I-Beam House	22
PIPE 20	8	Back of House	23
PIPE 21	9	Stage Ceiling SR	23
PIPE 22	10	Stage Ceiling SL	23
PIPE 23	10	Stage Ceiling DS	23
PIPE 23a	10	Stage Ceiling US	23
PIPE 24	11	US Wall	23
Pipe 25	12	SL Grid	23
PIPE 27	13	SR Grid	24
PIPE 28	13	House Vestibule	24
HR Box Boom	14	Backstage	24
HL Box Boom	14	House Wall	24
SL Boom A	14	House Stairs	24
SL Boom 1	14	Lobby	25
SL Boom 2	15	Pit Trough	26
SL Boom 3	15	SL Deck	26
SL Boom 4	16	SR Deck	26

NYLA Rep Plot 1... INSTRUMENT SCHEDULE

2017-18 Rep-8-31.lw6

Lighting Supervisor: Lauren Libretti
 Production Coordinator: Eliza Brennessel
 Technical Director: Thomas Bowersox

Page 1 of 26

8/31/17

:Show name

:Date

New York Live Arts Theater

PIPE 1

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Low Front 1	S4-26°	550w		(251)	157a	
2	Low Front 2	S4-26°	550w		(261)	157b	
3	Low Front 1	S4-26°	550w		(252)	158a	
4	Low Front 2	S4-26°	550w		(262)	158b	
5	Low Front 1	S4-26°	550w		(253)	159a	
6	Low Front 2	S4-26°	550w		(263)	159b	
7	Low Front 1	S4-26°	550w		(254)	107a	
8	Low Front 2	S4-26°	550w		(264)	107b	
9	Low Front 1	S4-26°	550w		(255)	109a	
10	Low Front 2	S4-26°	550w		(265)	109b	
11	Low Front 1	S4-26°	550w		(256)	105a	
12	Low Front 2	S4-26°	550w		(266)	105b	

PIPE 3

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Low Front Special	S4-26°	550w		(271)	8a	
2	Low Front Special	S4-26°	550w		(272)	11a	
3	Low Front Special	S4-26°	550w		(273)	13a	

PIPE 7

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
	LED Work	LED Work Flood	150w		(719)	341	85
	LED Work	LED Work Flood	150w		(719)	341	85

PIPE 8

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Front 1	S4-36°	550w		(201)	5a	
2	Front 2	S4-36°	550w		(226)	5b	
3	Front 1	S4-36°	550w		(202)	7a	
4	Front 2	S4-36°	550w		(227)	7b	
5	Front 1	S4-36°	550w		(203)	9a	
6	Front 2	S4-36°	550w		(228)	9b	
7	Front 1	S4-36°	550w		(204)	10a	
8	Front 2	S4-36°	550w		(229)	10b	
9	Front 1	S4-36°	550w		(205)	12a	
10	Front 2	S4-36°	550w		(230)	12b	
11	Front 1	S4-36°	550w		(206)	14a	
12	Front 2	S4-36°	550w		(231)	14b	
13	Front 1	S4-36°	550w		(207)	16a	
14	Front 2	S4-36°	550w		(232)	16b	

PIPE 9

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	MOVING LIGHT	VL1000 TI	1kW		(504)	960	
2	MOVING LIGHT	VL1000 TI	1kW		(505)	980	

PIPE 11

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Front 1	S4-36°	550w		(208)	17a	
2	Front 2	S4-36°	550w		(233)	17b	
3	Front 1	S4-36°	550w		(209)	19a	
4	Front 2	S4-36°	550w		(234)	19b	
5	Front 1	S4-36°	550w		(210)	21a	
6	Front 2	S4-36°	550w		(235)	21b	
7	Front 1	S4-36°	550w		(211)	23a	
8	Front 2	S4-36°	550w		(236)	23b	
9	Front 1	S4-36°	550w		(212)	24a	
10	Front 2	S4-36°	550w		(237)	24b	
11	Front 1	S4-36°	550w		(213)	26a	
12	Front 2	S4-36°	550w		(238)	26b	
13	Front 1	S4-36°	550w		(214)	28a	
14	Front 2	S4-36°	550w		(239)	28b	

PIPE 13

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	SL High Side 1	S4 Zm 25°-50°	550w		(81)	155a	
2	SL High Side 2	S4-36°	550w		(91)	155b	
3	SL High Side 3	S4-36°	550w		(101)	154a	
4	Front 1	S4-36°	550w		(215)	30a	
5	SL High Side 4	S4-36°	550w		(111)	154b	
6	Front 1	S4-36°	550w		(216)	32a	
7	Front 1	S4-36°	550w		(217)	33a	
8	Front 1	S4-36°	550w		(218)	35a	
9	Front 1	S4-36°	550w		(219)	38a	
10	Front 1	S4-36°	550w		(220)	39a	
11	SR High Side 4	S4-36°	550w		(116)	119b	
12	Front 1	S4-36°	550w		(221)	41a	
13	SR High Side 3	S4-36°	550w		(106)	119a	
14	SR High Side 2	S4-36°	550w		(96)	118b	
15	SR High Side 1	S4 Zm 25°-50°	550w		(86)	118a	

PIPE 14

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
	LED Work	LED Work Flood	150w		(720)	343	87
	LED Work	LED Work Flood	150w		(720)	343	87

PIPE 15

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	LEKO BX	S4-50°	550w		(151)	30b	
2	LEKO BX	S4-50°	550w		(152)	32b	
3	LEKO BX	S4-50°	550w		(153)	33b	
4	LEKO BX	S4-50°	550w		(154)	35b	
5	LEKO BX	S4-50°	550w		(155)	38b	
6	LEKO BX	S4-50°	550w		(156)	39b	
7	LEKO BX	S4-50°	550w		(157)	41b	

PIPE 16

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
	LED Work	LED Work Flood	150w		(720)	344	88
	LED Work	LED Work Flood	150w		(720)	343	87
1	SL High Side 1	S4-36°	550w		(82)	156a	
2	SL High Side 2	S4-36°	550w		(92)	156b	
3	SL High Side 3	S4-36°	550w		(102)	44a	
4	SL High Side 4	S4-36°	550w		(112)	44b	
5	SR High Side 4	S4-36°	550w		(117)	53b	
6	SR High Side 3	S4-36°	550w		(107)	53a	
7	SR High Side 2	S4-36°	550w		(97)	125b	
8	SR High Side 1	S4-36°	550w		(87)	125a	

PIPE 17

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	MOVING LIGHT	VL1000 TI	1kW		(501)	900	

PIPE 18

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	SL DIAG BX	S4 PAR WFL	550w		(186)	55a	
2	SL DIAG BX	S4 PAR WFL	550w		(187)	55b	
3	SL DIAG BX	S4 PAR MFL	550w		(188)	57a	
4	SR DIAG BX	S4 PAR MFL	550w		(286)	64a	
5	SR DIAG BX	S4 PAR WFL	550w		(287)	66b	
6	SR DIAG BX	S4 PAR WFL	550w		(288)	66a	

PIPE 19

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	LEKO BX	S4-50°	550w		(158)	56a	
2	SCRL BX	S4 PARNel	550w		(121)	56b	
2s	SCRL BX	Coloram II 7.5"	24w		(121)	518	
3	LEKO BX	S4-50°	550w		(159)	58a	
4	SCRL BX	S4 PARNel	550w		(122)	58b	
4s	SCRL BX	Coloram II 7.5"	24w		(122)	519	
5	LEKO BX	S4-50°	550w		(160)	59a	
6	SCRL BX	S4 PARNel	550w		(123)	59b	
6s	SCRL BX	Coloram II 7.5"	24w		(123)	520	
7	LEKO BX	S4-50°	550w		(161)	60a	
8	SCRL BX	S4 PARNel	550w		(124)	60b	
8s	SCRL BX	Coloram II 7.5"	24w		(124)	521	
9	LEKO BX	S4-50°	550w		(162)	62a	
10	SCRL BX	S4 PARNel	550w		(125)	62b	
10s	SCRL BX	Coloram II 7.5"	24w		(125)	522	
11	LEKO BX	S4-50°	550w		(163)	63a	
12	SCRL BX	S4 PARNel	550w		(126)	63b	
12s	SCRL BX	Coloram II 7.5"	24w		(126)	523	
13	LEKO BX	S4-50°	550w		(164)	65a	
14	SCRL BX	S4 PARNel	550w		(127)	65b	
14s	SCRL BX	Coloram II 7.5"	24w		(127)	524	

PIPE 20

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	SL High Sides 1	S4-36°	550w		(83)	173a	
2	SL High Side 2	S4-36°	550w		(93)	173b	
3	SL DIAG BX	S4 PAR WFL	550w		(189)	67a	
4	SL High Side 3	S4-36°	550w		(103)	45a	
5	SL DIAG BX	S4 PAR WFL	550w		(190)	67b	
6	SL High Side 4	S4-36°	550w		(113)	45b	
7	SL DIAG BX	S4 PAR MFL	550w		(191)	69a	
8	SR DIAG BX	S4 PAR MFL	550w		(289)	76a	
9	SR High Side 4	S4-36°	550w		(118)	54b	
10	SR DIAG BX	S4 PAR WFL	550w		(290)	78b	
11	SR High Side 3	S4-36°	550w		(108)	54a	
12	SR DIAG BX	S4 PAR WFL	550w		(291)	78a	
13	SR High Side 2	S4-36°	550w		(98)	131b	
14	SR High Side 1	S4-36°	550w		(88)	131a	

PIPE 21

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
	LED Work	LED Work Flood	150w		(720)	345	89
	LED Work	LED Work Flood	150w		(720)	346	90
1	LEKO BX	S4-50°	550w		(165)	68a	
2	SCRL BX	S4 PARNel	550w		(128)	68b	
2s	SCRL BX	Coloram II 7.5"	24w		(128)	525	
3	LEKO BX	S4-50°	550w		(166)	70a	
4	SCRL BX	S4 PARNel	550w		(129)	70b	
4s	SCRL BX	Coloram II 7.5"	24w		(129)	526	
5	LEKO BX	S4-50°	550w		(167)	71a	
6	SCRL BX	S4 PARNel	550w		(130)	71b	
6s	SCRL BX	Coloram II 7.5"	24w		(130)	527	
7	LEKO BX	S4-50°	550w		(168)	72a	
8	SCRL BX	S4 PARNel	550w		(131)	72b	
8s	SCRL BX	Coloram II 7.5"	24w		(131)	528	
9	LEKO BX	S4-50°	550w		(169)	74a	
10	SCRL BX	S4 PARNel	550w		(132)	74b	
10s	SCRL BX	Coloram II 7.5"	24w		(132)	529	
11	LEKO BX	S4-50°	550w		(170)	75a	
12	SCRL BX	S4 PARNel	550w		(133)	75b	
12s	SCRL BX	Coloram II 7.5"	24w		(133)	530	
13	LEKO BX	S4-50°	550w		(171)	77a	
14	SCRL BX	S4 PARNel	550w		(134)	77b	
14s	SCRL BX	Coloram II 7.5"	24w		(134)	531	

PIPE 22

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	SL High Side 1	S4-36°	550w		(84)	174a	
2	SL High Side 2	S4-36°	550w		(94)	174b	
3	SL High Side 3	S4-36°	550w		(104)	80a	
4	SL High Side 4	S4-36°	550w		(114)	80b	
5	SR High Side 4	S4-36°	550w		(119)	89b	
6	SR High Side 3	S4-36°	550w		(109)	89a	
7	SR High Side 2	S4-36°	550w		(99)	132b	
8	SR High Side 1	S4-36°	550w		(89)	132a	

PIPE 23

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	SL DIAG BX	S4 PAR WFL	550w		(192)	92a	
2	SL DIAG BX	S4 PAR WFL	550w		(193)	92b	
3	SL DIAG BX	S4 PAR MFL	550w		(194)	94a	
4	MOVING LIGHT	VL1000 TI	1kW		(502)	920	
5	MOVING LIGHT	VL1000 TI	1kW		(503)	940	
6	SR DIAG BX	S4 PAR MFL	550w		(292)	101a	
7	SR DIAG BX	S4 PAR WFL	550w		(293)	103b	
8	SR DIAG BX	S4 PAR WFL	550w		(294)	103a	

PIPE 23a

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
	LED Work	LED Work Flood	150w		(720)	347	91
	LED Work	LED Work Flood	150w		(720)	347	91

PIPE 24

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	LEKO BX	S4-50°	550w		(172)	93a	
2	SCRL BX	S4 PARNel	550w		(135)	93b	
2s	SCRL BX	Coloram II 7.5"	24w		(135)	545	
3	LEKO BX	S4-50°	550w		(173)	95a	
4	SCRL BX	S4 PARNel	550w		(136)	95b	
4s	SCRL BX	Coloram II 7.5"	24w		(136)	546	
5	LEKO BX	S4-50°	550w		(174)	96a	
6	SCRL BX	S4 PARNel	550w		(137)	96b	
6s	SCRL BX	Coloram II 7.5"	24w		(137)	547	
7	LEKO BX	S4-50°	550w		(175)	98a	
8	SCRL BX	S4 PARNel	550w		(138)	98b	
8s	SCRL BX	Coloram II 7.5"	24w		(138)	548	
9	LEKO BX	S4-50°	550w		(176)	99a	
10	SCRL BX	S4 PARNel	550w		(139)	99b	
10s	SCRL BX	Coloram II 7.5"	24w		(139)	549	
11	LEKO BX	S4-50°	550w		(177)	100a	
12	SCRL BX	S4 PARNel	550w		(140)	100b	
12s	SCRL BX	Coloram II 7.5"	24w		(140)	550	
13	LEKO BX	S4-50°	550w		(178)	102a	
14	SCRL BX	S4 PARNel	550w		(141)	102b	
14s	SCRL BX	Coloram II 7.5"	24w		(141)	551	

Pipe 25

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
0h	Selador Hot Pwr	Hot Circuit			(770)	276	
0h	Selador Hot Pwr	Hot Circuit			(770)	275	
0h	Selador Hot Pwr	Hot Circuit			(770)	272	
0h	Selador Hot Pwr	Hot Circuit			(770)	271	

1.1	Overhead CYC	Selador Vivid 63"	370w		(301)	1624	
1.2	Overhead CYC	Selador Vivid 63"	370w		(302)	1632	
1.3	Overhead CYC	Selador Vivid 63"	370w		(303)	1640	

2.1	Overhead CYC	Selador Vivid 63"	370w		(304)	1648	
2.2	Overhead CYC	Selador Vivid 63"	370w		(305)	1656	
2.3	Overhead CYC	Selador Vivid 63"	370w		(306)	1664	

3.1	Overhead CYC	Selador Vivid 63"	370w		(307)	1672	
3.2	Overhead CYC	Selador Vivid 63"	370w		(308)	1680	
3.3	Overhead CYC	Selador Vivid 63"	370w		(309)	1688	

4.1	Overhead CYC	Selador Vivid 63"	370w		(310)	1696	
4.2	Overhead CYC	Selador Vivid 63"	370w		(311)	1704	
4.3	Overhead CYC	Selador Vivid 63"	370w		(312)	1712	

5.1	Overhead CYC	Selador Vivid 63"	370w		(313)	1720	
5.2	Overhead CYC	Selador Vivid 63"	370w		(314)	1728	
5.3	Overhead CYC	Selador Vivid 63"	370w		(315)	1736	

6.1	Overhead CYC	Selador Vivid 63"	370w		(316)	1744	
6.2	Overhead CYC	Selador Vivid 63"	370w		(317)	1752	
6.3	Overhead CYC	Selador Vivid 63"	370w		(318)	1760	

7.1	Overhead CYC	Selador Vivid 63"	370w		(319)	1768	
7.2	Overhead CYC	Selador Vivid 63"	370w		(320)	1776	
7.3	Overhead CYC	Selador Vivid 63"	370w		(321)	1784	

8.1	Overhead CYC	Selador Vivid 63"	370w		(322)	1792	
8.2	Overhead CYC	Selador Vivid 63"	370w		(323)	1800	
8.3	Overhead CYC	Selador Vivid 63"	370w		(324)	1808	

PIPE 27

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	SL DIAG BX	S4 PAR WFL	550w		(195)	183a	
2	SL DIAG BX	S4 PAR WFL	550w		(196)	183b	
3	SL DIAG BX	S4 PAR MFL	550w		(197)	184a	
4	SR DIAG BX	S4 PAR MFL	550w		(295)	140a	
5	SR DIAG BX	S4 PAR WFL	550w		(296)	141b	
6	SR DIAG BX	S4 PAR WFL	550w		(297)	141a	

PIPE 28

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	SL High Side 1	S4-36°	550w		(85)	182a	
2	SL High Side 2	S4-36°	550w		(95)	182b	
3	LEKO BX	S4-50°	550w		(179)	187a	
4	SCRL BX	S4 PARNel	550w		(142)	187b	
5	LEKO BX	S4-50°	550w		(180)	186a	
6	SCRL BX	S4 PARNel	550w		(143)	186b	
7	LEKO BX	S4-50°	550w		(181)	185a	
8	SCRL BX	S4 PARNel	550w		(144)	185b	
9	LEKO BX	S4-50°	550w		(182)	188a	
10	SCRL BX	S4 PARNel	550w		(145)	188b	
11	LEKO BX	S4-50°	550w		(183)	143a	
12	SCRL BX	S4 PARNel	550w		(146)	143b	
13	LEKO BX	S4-50°	550w		(184)	145a	
14	SCRL BX	S4 PARNel	550w		(147)	145b	
15	LEKO BX	S4-50°	550w		(185)	146a	
16	SCRL BX	S4 PARNel	550w		(148)	146b	
17	SR High Side 2	S4-36°	550w		(100)	142b	
18	SR High Side 1	S4-36°	550w		(90)	142a	

HR Box Boom

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Diag Front	S4-36°	550w		(276)	4a	
2	Diag Front	S4-36°	550w		(277)	4b	
3	Diag Front	S4-36°	550w		(278)	3a	

HL Box Boom

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Diag Front	S4-36°	550w		(279)	1a	
2	Diag Front	S4-36°	550w		(280)	2b	
3	Diag Front	S4-36°	550w		(281)	2a	

SL Boom A

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	High Boom Top DDS	S4 Zm 25°-50°	550w		(471)	6a	
2	Mid Boom Top DDS	S4 Zm 25°-50°	550w		(461)	20a	
3	Low Boom Top DDS	S4 Zm 25°-50°	550w		(451)	20b	

SL Boom I

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	High Boom Top	S4 Zm 25°-50°	550w		(71)	147b	
3	Low Boom Top	S4 Zm 25°-50°	550w		(51)	148b	
4	High Head	S4 Zm 25°-50°	550w		(41)	148a	
5	Low Head	S4-50°	550w		(31)	149b	
6	Mid	S4-50°	550w		(21)	149a	
6s	Boom Scroller	Coloram II 7.5"	24w		(21)	513	
7	High Shin	S4-50°	550w		(11)	150b	
7	Mid Boom Top	S4 Zm 25°-50°	550w		(61)	147a	
8	Low Shin	S4-50°	550w		(1)	150a	

SL Boom 2

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	High Boom Top	S4-26°	550w		(72)	163b	
2	Mid Boom Top	S4-36°	550w		(62)	163a	
3	Low Boom Top	S4-36°	550w		(52)	164b	
4	High Head	S4-36°	550w		(42)	164a	
5	Low Head	S4-36°	550w		(32)	165b	
6	Mid	S4-36°	550w		(22)	165a	
6s	Boom Scroller	Coloram II 7.5"	24w		(22)	514	
7	High Shin	S4-36°	550w		(12)	166b	
8	Low Shin	S4-50°	550w		(2)	166a	

SL Boom 3

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	High Boom Top	S4-26°	550w		(73)	168b	
2	Mid Boom Top	S4-36°	550w		(63)	168a	
3	Low Boom Top	S4-36°	550w		(53)	169b	
4	High Head	S4-36°	550w		(43)	169a	
5	Low Head	S4-36°	550w		(33)	170b	
6	Mid	S4-36°	550w		(23)	170a	
6s	Boom Scroller	Coloram II 7.5"	24w		(23)	515	
7	High Shin	S4-36°	550w		(13)	171b	
8	Low Shin	S4-50°	550w		(3)	171a	

SL Boom 4

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	High Boom Top	S4-26°	550w		(74)	175b	
2	Mid Boom Top	S4-36°	550w		(64)	175a	
3	Low Boom Top	S4-36°	550w		(54)	176b	
4	High Head	S4-36°	550w		(44)	176a	
5	Low Head	S4-36°	550w		(34)	177b	
6	Mid	S4-36°	550w		(24)	177a	
6s	Boom Scroller	Coloram II 7.5"	24w		(24)	516	
7	High Shin	S4-36°	550w		(14)	178b	
8	Low Shin	S4-50°	550w		(4)	178a	

SL Boom 5

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	High Head	S4-36°	550w		(45)		
2	Low Head	S4-36°	550w		(35)		
3	Mid	S4-36°	550w		(25)		
3s	Boom Scroller	Coloram II 7.5"	24w		(25)	517	
4	High Shin	S4-36°	550w		(15)		
5	Low Shin	S4-50°	550w		(5)		

SR Boom A

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	High Boom Top DDS	S4 Zm 25°-50°	550w		(476)	27a	
2	Mid Boom Top DDS	S4 Zm 25°-50°	550w		(466)	27b	
3	Low Boom Top DDS	S4 Zm 25°-50°	550w		(456)	15a	

SR Boom 1

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	High Boom Top	S4 Zm 25°-50°	550w		(76)	111b	
2	Mid Boom Top	S4 Zm 25°-50°	550w		(66)	111a	
3	Low Boom Top	S4 Zm 25°-50°	550w		(56)	112b	
4	High Head	S4 Zm 25°-50°	550w		(46)	112a	
5	Low Head	S4-50°	550w		(36)	113b	
6	Mid	S4-50°	550w		(26)	113a	
6s	Boom Scroller	Coloram II 7.5"	24w		(26)	540	
7	High Shin	S4-50°	550w		(16)	114b	
8	Low Shin	S4-50°	550w		(6)	114a	

SR Boom 2

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	High Boom Top	S4-26°	550w		(77)	120b	
2	Mid Boom Top	S4-36°	550w		(67)	120a	
3	Low Boom Top	S4-36°	550w		(57)	121b	
4	High Head	S4-36°	550w		(47)	121a	
5	Low Head	S4-36°	550w		(37)	122b	
6	Mid	S4-36°	550w		(27)	122a	
6s	Boom Scroller	Coloram II 7.5"	24w		(27)	541	
7	High Shin	S4-36°	550w		(17)	123b	
8	Low Shin	S4-50°	550w		(7)	123a	

SR Boom 3

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	High Boom Top	S4-26°	550w		(78)	126b	
2	Mid Boom Top	S4-36°	550w		(68)	126a	
3	Low Boom Top	S4-36°	550w		(58)	127b	
4	High Head	S4-36°	550w		(48)	127a	
5	Low Head	S4-36°	550w		(38)	128b	
6	Mid	S4-36°	550w		(28)	128a	
6s	Boom Scroller	Coloram II 7.5"	24w		(28)	542	
7	High Shin	S4-36°	550w		(18)	129b	
8	Low Shin	S4-50°	550w		(8)	129a	

SR Boom 4

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	High Boom Top	S4-26°	550w		(79)	133b	
2	Mid Boom Top	S4-36°	550w		(69)	133a	
3	Low Boom Top	S4-36°	550w		(59)	134b	
4	High Head	S4-36°	550w		(49)	134a	
5	Low Head	S4-36°	550w		(39)	135b	
6	Mid	S4-36°	550w		(29)	135a	
6s	Boom Scroller	Coloram II 7.5"	24w		(29)	543	
7	High Shin	S4-36°	550w		(19)	136b	
8	Low Shin	S4-50°	550w		(9)	136a	

SR Boom 5

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	High Head	S4-36°	550w		(50)		
2	Low Head	S4-36°	550w		(40)		
3	Mid	S4-36°	550w		(30)		
3s	Boom Scroller	Coloram II 7.5"	24w		(30)	544	
4	High Shin	S4-36°	550w		(20)		
5	Low Shin	S4-50°	550w		(10)		

INSTRUMENT SCHEDULE

G. Row CYC

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1.1	G. Row Cell 1 - C/C	L&E Ministrip		C/C	(371)	280	
1.2	G.Row Cell 2 - C/C	L&E Ministrip		C/C	(361)	281	
1.3	G.Row Cell 3 - C/C	L&E Ministrip		C/C	(381)	282	
2.1	G. Row Cell 1 - C/C	L&E Ministrip		C/C	(371)	280	
2.2	G.Row Cell 2 - C/C	L&E Ministrip		C/C	(361)	281	
2.3	G.Row Cell 3 - C/C	L&E Ministrip		C/C	(381)	282	
3.1	G. Row Cell 1 - C/C	L&E Ministrip		C/C	(372)	277	
3.2	G.Row Cell 2 - C/C	L&E Ministrip		C/C	(362)	278	
3.3	G.Row Cell 3 - C/C	L&E Ministrip		C/C	(382)	279	
4.1	G. Row Cell 1 - C/C	L&E Ministrip		C/C	(372)	277	
4.2	G.Row Cell 2 - C/C	L&E Ministrip		C/C	(362)	278	
4.3	G.Row Cell 3 - C/C	L&E Ministrip		C/C	(382)	279	
5.1	G. Row Cell 1 - C/C	L&E Ministrip		C/C	(372)	277	
5.2	G.Row Cell 2 - C/C	L&E Ministrip		C/C	(362)	278	
5.3	G.Row Cell 3 - C/C	L&E Ministrip		C/C	(382)	279	
6.1	G. Row Cell 1 - C/C	L&E Ministrip		C/C	(373)	283	
6.2	G.Row Cell 2 - C/C	L&E Ministrip		C/C	(363)	284	
6.3	G.Row Cell 3 - C/C	L&E Ministrip		C/C	(383)	285	
7.1	G. Row Cell 1 - C/C	L&E Ministrip		C/C	(373)	283	
7.2	G.Row Cell 2 - C/C	L&E Ministrip		C/C	(363)	284	
7.3	G.Row Cell 3 - C/C	L&E Ministrip		C/C	(383)	285	

G. Row Cyc LED

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1.1	Groundrow LED	Selador Vivid 63"	370w		(331)	1817	
1.2	Groundrow LED	Selador Vivid 63"	370w		(332)	1825	
1.3	Groundrow LED	Selador Vivid 63"	370w		(333)	1833	
2.1	Groundrow LED	Selador Vivid 63"	370w		(334)	1841	
2.2	Groundrow LED	Selador Vivid 63"	370w		(335)	1849	
2.3	Groundrow LED	Selador Vivid 63"	370w		(336)	1857	
3.1	Groundrow LED	Selador Vivid 63"	370w		(337)	1865	
3.2	Groundrow LED	Selador Vivid 63"	370w		(338)	1873	
3.3	Groundrow LED	Selador Vivid 63"	370w		(339)	1881	
4.1	Groundrow LED	Selador Vivid 63"	370w		(340)	1889	
4.2	Groundrow LED	Selador Vivid 63"	370w		(341)	1897	
4.3	Groundrow LED	Selador Vivid 63"	370w		(342)	1905	
5.1	Groundrow LED	Selador Vivid 63"	370w		(343)	1913	
5.2	Groundrow LED	Selador Vivid 63"	370w		(344)	1921	
5.3	Groundrow LED	Selador Vivid 63"	370w		(345)	1417	
6.1	Groundrow LED	Selador Vivid 63"	370w		(346)	1937	
6.2	Groundrow LED	Selador Vivid 63"	370w		(347)	1945	
6.3	Groundrow LED	Selador Vivid 63"	370w		(348)	1953	
7.1	Groundrow LED	Selador Vivid 63"	370w		(349)	1961	
7.2	Groundrow LED	Selador Vivid 63"	370w		(350)	1969	
7.3	Groundrow LED	Selador Vivid 63"	370w		(351)	1977	
8.1	Groundrow LED	Selador Vivid 63"	370w		(352)	1985	
8.2	Groundrow LED	Selador Vivid 63"	370w		(353)	1993	
8.3	Groundrow LED	Selador Vivid 63"	370w		(354)	2001	

Pipe E

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
2	Scoop Hs Lts	14" Scoop	500w	R132	(700)	267	

INSTRUMENT SCHEDULE

Pipe G

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Scoop Hs Lts	14" Scoop	500w	R132	(700)	268	
2	Scoop Hs Lts	14" Scoop	500w	R132	(700)	267	

Pipe J

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
2	Scoop Hs Lts	14" Scoop	500w	R132	(700)	267	

I-Beam House

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Hs Lts Rear	Par38 LED 60°	24w	CLR	(702)	326	70
2	Hs Lts Rear	Par38 LED 60°	24w	CLR	(702)	326	70
3	Hs Lts Rear	Par38 LED 60°	24w	CLR	(702)	326	70
4	Hs Lts Rear	Par38 LED 60°	24w	CLR	(702)	326	70
5	Hs Lts Rear	Par38 LED 60°	24w	CLR	(702)	326	70
6	Hs Lts Rear	Par38 LED 60°	24w	CLR	(702)	326	70
7	Hs Lts Mid	Par38 LED 60°	24w	CLR	(703)	327	71
8	Hs Lts Mid	Par38 LED 60°	24w	CLR	(703)	327	71
9	Hs Lts Mid	Par38 LED 60°	24w	CLR	(703)	327	71
10	Hs Lts Mid	Par38 LED 60°	24w	CLR	(703)	327	71
11	Hs Lts Mid	Par38 LED 60°	24w	CLR	(703)	327	71
12	Hs Lts Mid	Par38 LED 60°	24w	CLR	(703)	327	71
13	Hs Lts Near Stage	Par38 LED 60°	24w	CLR	(704)	328	72
14	Hs Lts Near Stage	Par38 LED 60°	24w	CLR	(704)	328	72
15	Hs Lts Near Stage	Par38 LED 60°	24w	CLR	(704)	328	72
16	Hs Lts Near Stage	Par38 LED 60°	24w	CLR	(704)	328	72
17	Hs Lts Near Stage	Par38 LED 60°	24w	CLR	(704)	328	72
18	Hs Lts Near Stage	Par38 LED 60°	24w	CLR	(704)	328	72

Back of House

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Hs Lts Rear Walkway	Par30 40°	75w	CLR	(701)	325	69
2	Hs Lts Rear Walkway	Par30 40°	75w	CLR	(701)	325	69
3	Hs Lts Rear Walkway	Par30 40°	75w	CLR	(701)	325	69
4	Hs Lts Rear Walkway	Par30 40°	75w	CLR	(701)	325	69
5	Hs Lts Rear Walkway	Par30 40°	75w	CLR	(701)	325	69
6	Hs Lts Rear Walkway	Par30 40°	75w	CLR	(701)	325	69

Stage Ceiling SR

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Fluoro Works SR	Alto F32T8 Fluorescent	32w		(705)	329	73

Stage Ceiling SL

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Fluoro Works SL	Alto F32T8 Fluorescent	32w		(706)	330	74

Stage Ceiling DS

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Fluoro Works DS	Alto F32T8 Fluorescent	32w		(707)	331	75

Stage Ceiling US

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Fluoro Works US	Alto F32T8 Fluorescent	32w		(708)	332	76

US Wall

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Cross Blues US	A-Lamp			(709)	333	77

SL Grid

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Cross Blue SL	A-Lamp			(710)	335	79

SR Grid

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Cross Blues SR	A-Lamp			(711)	334	78

House Vestibule

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	House Vest.	Misc.			(713)	337	81

Backstage

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Backstage Fluoros	Alto F32T8 Fluorescent	32w		(716)	340	84
2	Backstage Flr Lts	KX-2000	40w		(715)	339	83

House Wall

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Vestibule Flr Lts	KX-2000	40w		(717)	349	93
2	House rear Flr Lts	KX-2000	40w		(714)	338	82

House Stairs

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Stair Lights	FP39 T5 Fluorescent	39w		(718)	350	94

INSTRUMENT SCHEDULE

Lobby

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	Bathroom Special	(2) s.4 Mini	50w	CLR	(726)	299	43
2	Strip W Diffusion (Cell 2)	Ministrip	50w	R116	(727)	300	44
3	Strip W Silk (Cell 1)	Ministrip	50w	NC	(728)	301	45
4	Strip W Cool (Cell 3)	Ministrip	50w	NC	(729)	302	46
5	SPARE	Ministrip	50w	NC	(730)	303	47
6	SPARE	Ministrip	50w	R116	(731)	304	48
7	Hot for Router?	AC Circuit			(732)	305	49
8	SPARE	Ministrip	50w	R104	(733)	306	50
9					(734)	307	51
10	Hot power for extensions				(735)	308	52
11	House R Bathroom	s.4 Mini	50w	CLR	(736)	309	53
12	Ceiling W Clear	R40 Strip		CLR	(737)	310	54
13	Lobby - Not Working				(738)	311	55
14	SPARE			CLR	(739)	312	56
15	SPARE			CLR	(740)	313	57
16	SPARE			CLR	(741)	314	58
17	SPARE			CLR	(742)	315	59
18	SPARE				(743)	316	60
19	SPARE	s.4 Mini	50w	CLR	(745)	317	62
20	NYLA Gallery	s.4 Mini	50w	CLR	(745)	318	62
21	Noguchi Lamp	A-Lamp	100w	CLR	(746)	319	63
22	Ceiling E Clear	R40 Strip	100w	CLR	(747)	320	64
23	Ceiling E Cell 2	R40 Strip	100w	CLR	(748)	321	65
24	Band/Speech Light	ETC s.4 Jr Zoom	575w	CLR	(749)	322	66

Pit Trough

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
0h	Selador Hot Pwr	Hot Circuit			(770)	294	
0h	Selador Hot Pwr	Hot Circuit			(770)	287	
0h	Selador Hot Pwr	Hot Circuit			(770)	286	

SL Deck

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	SL Scroller Fans				(768)	588	

SR Deck

U#	Purpose	Inst Type & Access	Watt	Color & Gobo	Chan	Dim	Unison#
1	SR Scroller Fans				(769)	561	